

02

www.skorled.com

 **Skorled**[®]

the best
score is
quality


FOOTBALL
FOOTBALL
FOOTBALL
FOOTBALL
FOOTBALL
FOOTBALL

02

Skorled
the best score is quality

FOOTBALL
SYSTEM

www.skorled.com



GENERAL FEATURES

- It has three language supports: Turkish, English and French. There is support for a total of 157 characters. In addition to the characters of the three languages, it also includes German, Azerbaijani, Turkmen and Uzbek characters.
- It can work wired or wireless.
- The controller can be used wirelessly for up to 15 hours with a 1.5 hour charge.
- Systems are so easy for the user.
- Team information and player information of the team can be recorded.
- Statistics of the game are recorded.
- It supports referee, player and card animations.
- It has the feature of showing messages on the scoreboard.
- The operation of the scoreboard can be tested.

FOOTBALL – RUGBY SCOREBOARD

www.skorled.com

SKL - LVE - FX / TECHNICAL PARAMETERS

Operating Voltage	100 – 120V / 200V – 240V
Operating Temperature	(-40°C) – (+55°C)
Protection Class	IP54
Type Of Material	Al
Guarantee Duration	2 Years
Frame Color	Mat Black



FOOTBALL – RUGBY SCOREBOARD

www.skorled.com

SFS – 500 – 3L / TECHNICAL PARAMETERS

Height	1920 mm
Width	5120 mm
Thickness	85 mm
Weight	260.8 kg
Maximum Power Consumption	1440 W
Average Power Consumption	1040 W
Operating Voltage	100 – 120V / 200V – 240V
Operating Temperature	(-40°C) – (+55°C)
Protection Class	IP54
Type Of Material	Al
Guarantee Duration	2 Years
Frame Color	Mat Black



SKL-SWC-V2 (Football Cotroller)



FOOTBALL - RUGBY SCOREBOARD

www.skorled.com

SFS - 400 - 3L / TECHNICAL PARAMETERS

Height	1440 mm
Width	3840 mm
Thickness	85 mm
Weight	146.7 kg
Maximum Power Consumption	810 W
Average Power Consumption	585 W
Operating Voltage	100 - 120V / 200V - 240V
Operating Temperature	(-40°C) - (+55°C)
Protection Class	IP54
Type Of Material	Al
Guarantee Duration	2 Years
Frame Color	Mat Black



SKL-SWC-V2 (Football Cotroller)



FOOTBALL FIELD SCOREBOARD

www.skorled.com

SFS - 400 - 2L / TECHNICAL PARAMETERS


Height	1750 mm
Width	4000 mm
Thickness	100 mm
Weight	84 kg
Average Power Consumption	315 W
Operating Voltage	220V
Operating Temperature	(-15°C) - (+55°C)
Protection Class	IP54
Type Of Material	Al
Guarantee Duration	2 Years
Frame Color	Mat Black



SKL-AFC-V1 (Software)



SKL-SWC-V2 (Football Cotroller)



FOOTBALL FIELD SCOREBOARD

www.skorled.com

SFS-250-40 / TECHNICAL PARAMETERS

Height	1200 mm
Width	2500 mm
Thickness	100 mm
Weight	41 kg
Average Power Consumption	230 W
Operating Voltage	220V
Operating Temperature	(-15°C) – (+55°C)
Protection Class	IP53
Type Of Material	Al
Guarantee Duration	2 Years
Frame Color	Mat Black



SKL-AFC-V1 (Astroturf-Football Controller)



SKL-AFC-V1 (Software)



ASTROTURF – FOOTBALL SCOREBOARD

www.skorled.com

SHS - 120 / TECHNICAL PARAMETERS

Height	600 mm
Width	1200 mm
Thickness	85 mm
Weight	14 kg
Maximum Power Consumption	108 W
Average Power Consumption	72 W
Operating Voltage	100 – 120V / 200V – 240V
Operating Temperature	(-40°C) – (+55°C)
Protection Class	IP54
Type Of Material	Al
Guarantee Duration	2 Years
Frame Color	Mat Black



SKL-ASC-V1



SKL-AFC-V1 (Astroturf-Football Controller)



SKL-AFC-V1 (Software)




SUBSTITUTION BOARD

www.skorled.com

SOD-75 / TECHNICAL PARAMETERS

Height	415 mm
Width	730 mm
Thickness	19 mm
Weight	2.5 kg
Average Power Consumption	45 W
Operating Voltage	14.8V
Operating Temperature	(-15°C) - (+55°C)
Protection Class	IP65
Type Of Material	ABS
Guarantee Duration	2 Years
Frame Color	Mat Black



FOOTBALL SCOREBOARD CONTROLLER

SKL - FPC - V2 / TECHNICAL PARAMETERS

Height	102 mm
Width	338 mm
Thickness	287 mm
Weight	2.6 kg
Average Power Consumption	3 W
Operating Voltage	10.8V - 16.8V
Operating Temperature	(-40°C) - (+55°C)
Discharge Duration	1 Day
Protection Class	IP54
Type Of Material	Al
Guarantee Duration	2 Years
Frame Color	Mat Black



ASTROTURF SCOREBOARD CONTROLLER

SKL - AFC - V1 / TECHNICAL PARAMETERS

Height	39 mm
Width	145 mm
Thickness	85 mm
Weight	0.35 kg
Maximum Power Consumption	0.5 W
Average Power Consumption	0.3 W
Operating Voltage	8.4V
Operating Temperature	(-40°C) - (+55°C)
Discharge Duration	4 Day
Protection Class	IP54
Guarantee Duration	2 Years
Frame Color	Mat Black



ASTROTURF SCOREBOARD CONTROLLER

SKL - ASC - V1 / TECHNICAL PARAMETERS

Height	62 mm
Width	100 mm
Thickness	68 mm
Weight	0.25 kg
Operating Temperature	(-40°C) - (+55°C)
Protection Class	IP65
Guarantee Duration	2 Years
Frame Color	Mat Black

